Ingersoll Rand Winch & Hoist Markets and Applications Overview



Service



SAFETY RELIABILITY EFFICIENCY EXPERTISE SERVICE

Ingersoll Rand is the worldwide leading manufacturer of Air and Hydraulic Winches and Hoists.

The Ingersoll Rand line incorporates the best ideas and innovations to solve the most challenging lifting, pulling and positioning applications in the world's toughest industries.

Ingersoll Rand winches and hoists have high recognition in key heavy industries such as offshore, oil exploration, chemicals, refining, shipbuilding, mining, tunnelling and steel mills... Air or Hydraulic Chain Hoist Range up to 12 ton capacity Industrial Air Hoist Range: 0.25 to 2 ton capacity



Air & Hydraulic Low or Ultra-Low Headroom Hoist Trolley Combinations up to 100 ton Capacity.

Heavy Air or Hydraulic Chain Hoist Range up to 100 ton capacity.

0

1001

Portable Air Winches from 0.15 to 2.4 ton

capacity.

Air or Hydraulic Manriding Winches for the Oil & Gas Industry Specials and Customer 😧 Applications on request : e.g. Utility Hydraulic Winch for Offshore Platform.

WHY CHOOSE INGERSOLL RAND MATERIAL HANDLING EQUIPMENT ?

- Ingersoll Rand products are designed for applications in hot, cold, dusty, dirty, explosive and wet conditions.
- Increased safety for the operator.
- Unlimited duty cycle.
- Ingersoll Rand winches & hoists are rugged, reliable, compact, and offer excellent power-to-weight ratio.
- Easy to operate and maintain.
- Speed control is variable and offers good spotting capability.
- Reduced downtimes. Robust construction provides long-lasting use.

AIR or HYDRAULIC ?

PNEUMATIC:

- \Rightarrow Rugged and simple design.
- Easy installation and operation.
- ⇒ Cannot burn out.
- ⇒ Easy to move.

HYDRAULIC:

- ⇒ Low noise level.
- ⇒ Precision of control.
- ⇒ Lower energy cost.
- ⇒ Ideal for fixed installation.

Air and hydraulic hoists and winches are particularly well suited for use in potentially explosive atmospheres. Their construction

makes them explosion -proof by nature.

They can also be delivered in conformity with the ATEX 94/9/CE directive.

Air or Hydraulic B.O.P. Systems up to 400 ton capacity.

Winches up to 20 ton capacity. Air, Hydraulic or Electric versions

100¹



Ingersoll Rand Hoists and Winches can be CE marked when fitted as standard with all the safety devices for compliance with the European Machinery Directive 98/37/EEC (delivered with a declaration of conformity). The hydraulic models are fitted as standard with specific safety options for incorporation into assemblies which have to meet the CE Directives (delivered with a declaration of incorporation).

Whatever your lifting challenge, we have a solution

WINCHES & HOISTS FOR OFFSHORE DRILLING APPLICATIO

The most comprehensive range of manual, electric, air and hydraulic chain Setting the standards in winch and hoist technology, our lifting equipmen and winches on the market - 0.25 to 100 T CAPACITY ! known throughout the offshore drilling industry for their reliability and sa





PORTABLE WINCHES Economically priced, the portable range of winches is particularly suitable where light weight and compact size are important.



MANRIDING WINCHES

Hydraulic or pneumatic manriding winch are dedicated to personnel on offshore installations in compliance w the thoughes safety regula



HYDRAULIC WINCHES Liftstar hydraulic are offshore tough to withstand the harsh environments in marine applications.

NS

hoists

t are fety.



00





UP TO 400 T LIFTING CAPACITY 4 x 100 ton hoist/trolley combinations can be easily controlled from a single console or individual pendents.







LIFTCHAIN AIR AND HYDRAULIC HOISTS

Liftchain hoists are the first choice for all lifting applications in the oil industry. They offer new standard features with increased safety, rugged reliability, enhanced control and reduced maintenance.

ULTRA LOW HEADROOM Ultra low headroom trolley hoists specially designed for areas with height restriction.

1 .:+b

nes 5 lift

, iith t itions. FORCE 5 WINCHES Serving the oil industry for more than 50 years, Ingersoll Rand Force 5 winches are world proven in tough and difficult environments.

SHIPYARD, CEMENT PLANT & HEAVY INDUSTRY APPLICATIONS

Ingersoll Rand hoists and winches have been proven for decades by field experience in difficult environments such as construction, marine, shipyard and mining. Their exceptional reliability keeps downtime to a minimum. Ingersoll Rand air chain

hoists are commonly used in shipyards for handling of propellers and rudders.

COMPACT DESIGN Air or hydraulic chain hoists brings strength and durability to maintenance operations in cement plants : replacement of milling wheels.



Air and hydraulic winches can offer constant tension for mooring and sea going applications.





HOISTS & WINCHES IN THE MOST INGERSOLL RAND HARDOUS ENVIRONMENTS

- In underground mining with dust, heat, humidity... (pict. 1)
- On offshore rig in Syberia, with extreme low temperatures (pict. 2)

MINING, TUNNELLING & CONSTRUCTION APPLICATIONS

Ingersoll Rand excels in providing complete system solutions, from upfront engineering through system installation Ingersoll Rand provides a wealth and testing. of engineering experience to bring together your lifting, pulling, tensioning and material handling applications.

MINER VERSIONS

Liftchain Miner hoists are proven performers offering exceptional quality and value for underground mining works.

PORTABLE AIR WINCHES

The Liftstar & Pullstar portable range is ideally suited for the demanding conditions found in tough environments underground. Light weight and compact for portability.

Our hoists and winches are very easy to install, maintain and operate. No electric power required, just a simple air hose!



TUNNELING APPLICATIONS The space-saving design of our heavy hydraulic and pneumatic hoists, as well as their ability to withstand dirt, dust and moisture make them an ideal partner for the most difficult tunnelling applications.

(IR) Ingersoll Rand

Your Safety is our Number 1 Priority !



Services by Ingersoll Rand

- Inspection, testing and certification
- Repair, modification and complete refurbishment
- Engineered solutions
- Global product training









FOR TECHNICAL SUPPORT

Europe, Middle East and Africa: Ingersoll Rand Material Handling 529, Avenue Roger Salengro 59450 Sin Le Noble - France Phone: +33 (0)3 27 93 08 08 Fax: +33 (0)3 27 93 08 19 E mail: dou_irep@eu.irco.com

USA, Canada and Latin America: Ingersoll Rand Specialty Solutions 2724, Sixth Avenue South P.O. Box 24046 Seattle WA 98124 - USA Phone: +1 206 624 0466 Fax: +1 206 624 6265 E mail: FASTeam@irco.com

Asia Pacific: Ingersoll Rand SEA Pte. Ltd. 42 Benoi Road Jurong 629903 Singapore Phone: 65-6861-1555

Fax: 65-6862-1373

Visit our websites at: www.airwinch.com www.irhoist.com www.irtools.com

www.ingersollrand.com

Distributed by :

Nothing contained within this brochure is intended to extend any warranty or representation, expressed or implied, regarding the products described herein. Any such warranties or other items or conditions of sale of products shall be in accordance with Ingersoll-Rand' s standard terms and conditions of sale for such products, which are available upon request. Product improvement is a continuing goal at Ingersoll-Rand. Designs and specifications are subject to change without notice or obligation.

